

SEQUENCE LISTING



☐
☐
<110> BOEHRINGER MANNHEIM GMBH
☐
☐
<120> METHOD OF INACTIVATION OF P21 RAS AND AGENTS THEREFOR
☐
☐
<130> VON EICHEL-STREIBER
☐
☐
<140> 09/126,816
☐
<141> 1998-07-31
☐
☐
<150> PCT/EP97/00426
☐
<151> 1997-01-31
☐
☐
<150> 96 101 469.3
☐
<151> 1996-02-02
☐
☐
<160> 4
☐
☐
<170> PatentIn Ver. 2.0
☐
☐
<210> 1
☐
<211> 31
☐
<212> DNA
☐
<213> Artificial Sequence
☐
☐
<220>
☐
<223> Description of Artificial Sequence:primer BCS1C
☐
☐
<400> 1
☐

*Replaced by
C5*

ggggaatttt aatgagctca gttaacaaag c

31

☐

☐

<210> 2

☐

<211> 29

☐

<212> DNA

☐

<213> Artificial Sequence

☐

☐

<220>

☐

<223> Description of Artificial Sequence:primer BCD2N

☐

☐

<400> 2

☐

ttcagataat gtaggtacca agtctatag

☐

☐

<210> 3

☐

<211> 29

☐

<212> DNA

☐

<213> Artificial Sequence

☐

☐

<220>

☐

<223> Description of Artificial Sequence:primer BCD2C

☐

☐

<400> 3

☐

ctatagactt ggtacctaca ttatctgaa

☐

☐

<210> 4

☐

<211> 28

☐

<212> DNA

☐

<213> Artificial Sequence

☐

☐

<220>

☐

29

29

C5

<223> Description of Artificial Sequence:primer BCS3N

□

□

<400> 4

□

tattaaacgtg ggcccaatat atgtctac

□

□

□

28

C5